

REFERENCES

REFERENCES

- Abel, P.D. (1974), 'Toxicity of synthetic detergents to fish and aquatic invertebrates', *J. Fish Biol.*, 6, 279.
- Ademoroti, C.M.A. (1985), 'Integrated biological/chemical wastewater treatment', *Effluent & Water Treat. J.*, 25, 237.
- Alexander, M. (1965), 'Biodegradation problems of molecular recalcitrance and microbial fallibility', *Adv. Appl. Microbiol.*, 7, 35.
- Alexander, M. (1974), 'Microbial formation of environmental pollutants', *Adv. Appl. Microbiol.*, 18, 1.
- Alexander, M. and Lustigmann, B.K. (1966), 'Effect of chemical structure on microbial degradation of substituted benzenes', *J. Agri. Food Chem.*, 14, 410.
- Allred, R.C., Setzkorn, E.A. and Huddleston, R.L. (1964), 'A study of detergent biodegradability as shown by various analytical techniques', *J. Am. Oil Chem. Soc.*, 41, 13.
- Amberg, H.R. and Cormack, J.F. (1957), 'Aerobic fermentation. Studies of spent sulfite liquor' *Sew. Ind. Wastes*, 29, 570.
- Andrews, J.F. (1971), 'Kinetic models of biological waste treatment processes', in *Biotechnol. and Bioeng. Symp. No.2*, 160th Ann. Meet. Am. Chem. Soc., Ed., Canale, R.P., Interscience, New York.

- APHA. (1980), 'Standard methods for the examination of water and wastewater', 15th. Edn., Amer. Pub. Health Assoc., Washington D.C.
- Arthur, J.W. (1970), 'Chronic effects of linear alkylate sulfonate detergents on Gammarus Pseudolimnaeus, Campeloma Desicum and Physa Integra', Water Res., 4, 251.
- Baars, J.K. (1955), 'The effect of detergents on aeration: a photographic approach', J. Proc. Inst. Sew. Purif., 358.
- Bates, M.H. and Torabian, A. (1981), 'The effects of the COD:P ratio on laboratory activated sludge systems', Water Res., 15, 999.
- Beam, H.W. and Perry, J.J. (1973), 'Co-metabolism as a factor in microbial degradation of cycloparaffinic hydrocarbons', Arch. Mikrobiol., 91, 87.
- Beam, H.W. and Perry, J.J. (1974), 'Microbial degradation of cycloparaffinic hydrocarbons via cometabolism and commensalism', J. gen. Microbiol., 82, 163.
- Beltrame, P., Beltrame, P.L., Carniti, P. and Pitea, D. (1980), 'Kinetics of phenol degradation by activated sludge in a continuous stirred reactor', J. Water Poll. Cont. Fed., 52, 126.
- Benedek, P. and Horvath, I. (1967), 'A practical approach to activated sludge kinetics', Water Res., 1, 663.
- Benefield, L.D. (1980), 'Biological process design for wastewater treatment', Englewood Cliffs, N.J., Prentice-Hall.

- Bennet, G.F. (1980), 'Oxygen transfer rates, mechanisms and applications in biological wastewater treatment', CRC, Crit. Rev. Environ. Cont., 9, 301.
- Berg, R.C. and Vora, B.V. (1982), 'Detergent alkylate', in Encyclopaedia of chemical processing and design, 15, Ed. McKetta, J.J. and Cunningham, W.A., Marcel Dekker Inc., New York.
- Bergey, D.H. (1974), 'Bergey's manual of determinative bacteriology', 8th. Edn., Baltimore, Md., Williams and Wilkins.
- Beynon, K.I., Hutson, D.H. and Wright, A.N. (1973), 'The metabolism and degradation of vinyl phosphate insecticides', Residue rev., 47, 55.
- Bhattacharyya, D., Carlton, J.A. and Grieves, R.B. (1971), 'Precipitate flotation of chromium', AIChE J., 17, 419.
- Bird, P.G. (1981), 'The effect of nitrification in the BOD test', Wat. Pollut. Control, 80, 378.
- Bird, J.A. and Cain, R.B. (1974), 'Microbial metabolism of alkylbenzene sulphonates. Metabolism of homologues of short alkyl chain length by an Alcaligenes sp.', Biochem. J., 140, 121.
- Blenden, D.C. and Goldberg, H.S. (1965), 'Silver impregnation stain for Leptospira and flagella', J. Bacteriol., 89, 899.

- Blummer, M. and Youngblood, W.W. (1975), 'Polycyclic aromatic hydrocarbons in soils and recent sediments', *Science*, 188, 53.
- Borstlap, C. (1974), 'Intermediate biodegradation products of anionic detergents, their toxicity and foaming properties', in Chemistry, physics and application of surface active substances, Int. Cong. on Surf. Act. substances, Brussels, 3, 891.
- Brilon, C., Beckmann, W., Hellwig, M. and Knackmuss, H.J. (1981), 'Enrichment and isolation of naphthalenesulfonic acid utilizing Pseudomonads, *Appl. Environ. Microbiol.*, 42, 39.
- Brooks, J. (1977), 'Diagenesis of organic matter: Some microbiological, chemical and geochemical studies on sedimentary organic matter', in Environmental biogeochemistry and geomicrobiology. The aquatic environment., Ed. Krumbein, W.E., Ann Arbor Science, Ann Arbor, Michigan.
- Bruce, A.M., Sanwick, J.D. and Ownsworth, R.A. (1966), 'Synthetic detergents and sludge digestion', *J. Proc. Inst. Sew. Purif.*, 427.
- Burchett, M.E. and Tchobanoglous, G. (1974), 'Facilities for controlling the activated sludge process by mean cell residence time', *J. Water Poll. Cont. Fed.*, 46, 973.
- Busch, R.O., Spottiswood, D.J. and Lower, G.W. (1980), 'Ion-precipitate flotation of iron-cyanide complexes', *J. Water Poll. Cont. Fed.*, 52, 2925.

- Cain, R.B. (1977), 'Surfactant biodegradation in wastewaters', in Treatment of industrial effluents, Eds., Calleley, A.G., Forster, C.F. and Stafford, D.A., Hodder and Stoughton, London.
- Cain, R.B. (1981), 'Microbial degradation of surfactants and "builder" components', in Microbial degradation of Xenobiotics and recalcitrant compounds, Eds., Leisinger, T., Hutter, R., Cook, A.M. and Nuesch, J., Academic press.
- Cain, R.B., Willets, A.J. and Bird, J.A. (1972), 'Surfactant biodegradation metabolism and enzymology' in Biodeterioration of materials, Eds., Walters, A.W. and Hueck van der Plas, E.H., 2, 136, Applied science publishers, London.
- Cantwell, S.G., Lau, E.P., Watt, D.S. and Fall, R.R. (1978), 'Biodegradation of acyclic isoprenoids by Pseudomonas species', J. Bacteriol., 135, 324.
- Chakrabarty, A.M. (1980), 'Plasmids and dissimilation of synthetic environmental pollutants', in Plasmids and transposons. Environmental effects and maintenance mechanisms, Eds., Stuttard, C. and Rozee, K.R., Academic press, London.
- Chapman, P. (1976), 'Microbial degradation of halogenated compounds', Biochem. Soc. Trans., 4, 463.
- Chen, C.Y., Roth, J.A. and Eckenfelder, W.W. Jr. (1980), 'Response of dissolved oxygen to changes in influent organic loading to activated sludge systems', Water Res., 14, 1449.

- Chiang, C.H. (1977), 'Process stability of activated sludge processes', J. Environ. Eng. Div., Proc. Am. Soc. Civ. Eng., 103, 259.
- Chin, K.K. (1978), 'Palm oil waste treatment by aerobic process', in Int. Conf. on Water Poll. Cont. in developing countries, Bangkok, Thailand, 21-25th Feb. 1978.
- Chin, K.K. and Wong, K.K. (1981), 'Palm oil refinery wastes treatment', Water Res., 15, 1087.
- Clarke, P.H. (1978), 'Experiments in microbial evolution', in The bacteria, Eds., Ornston, L.N. and Soltach, J.R., 6, 137, Academic press, New York.
- Clarke, P.H. (1981), 'Enzymes in bacterial populations', in Biochemical evolution, Ed., Gutfreund, H., Cambridge University Press, London.
- Clarke, P.H. and Lilly, M.D. (1969), 'The regulation of enzyme synthesis during growth', Symp. Soc. Gen. Microbiol., 19, 113.
- Clarke, P.H. and Wilson, D.J. (1983), 'Foam flotation Theory and applications', Marcel Dekker Inc., New York.
- Coackley, P. (1969), 'Some aspects of activated sludge process', Process Biochem., 4, 27.
- Coe, R.H. (1952), 'Bench scale biological oxidation of refinery wastes with activated sludge', Sew. Ind. Wastes, 24, 731.

- Cohen, D.B. (1973), 'A low cost open tank pure oxygen systems for high rate total oxidation', in *Advances in Water Pollution Research*, Ed., Jenkins, S.H., Pergamon Press, Oxford.
- Cook, K.A. (1979), 'Degradation of the non-ionic surfactant Dobanol 45-7 by activated sludge', *Water Res.*, 13, 259.
- Crepsi, R.M. and Sanchez, C.J. (1981), 'Purification of wastewaters coming from dyeing with carriers', *Chem. Abstr.*, 94, 180046.
- Cripps, R.E. (1975), 'The microbial metabolism of acetophenone and some chloroacetophenones by an Arthrobacter species', *Biochem. J.*, 152, 233.
- Cutler, W.G. and Davis, R.C. (1972), 'Detergency. Theory and test methods. Part 1', Marcel Dekker Inc., New York.
- Dagley, S. (1954), 'Dissimilation of citric acid by Aerobacter aerogenes and Escherichia coli', *J. gen. Microbiol.*, 11, 218.
- Dagley, S. and Dawes, E.A. (1953), 'Citric acid metabolism of Aerobacter aerogenes', *J. Bacteriol.*, 66, 259.
- Davidsohn, A. and Milwidsky, B.M. (1978), 'Synthetic detergents', 6th. edn., George Godwin Ltd., London.
- Davis, E.M. and Gloyna, E.F. (1967), 'Biodegradability of non-ionic and anionic surfactants by blue-green and green algae', *J. Water Poll. Cont. Fed.*, 41, 1494.

- Cohen, D.B. (1973), 'A low cost open tank pure oxygen systems for high rate total oxidation', in *Advances in Water Pollution Research*, Ed., Jenkins, S.H., Pergamon Press, Oxford.
- Cook, K.A. (1979), 'Degradation of the non-ionic surfactant Dobanol 45-7 by activated sludge', *Water Res.*, 13, 259.
- Crepsi, R.M. and Sanchez, C.J. (1981), 'Purification of wastewaters coming from dyeing with carriers', *Chem. Abstr.*, 94, 180046.
- Cripps, R.E. (1975), 'The microbial metabolism of acetophenone and some chloroacetophenones by an Arthrobacter species', *Biochem. J.*, 152, 233.
- Cutler, W.G. and Davis, R.C. (1972), 'Detergency. Theory and test methods. Part 1', Marcel Dekker Inc., New York.
- Dagley, S. (1954), 'Dissimilation of citric acid by Aerobacter aerogenes and Escherichia coli', *J. gen. Microbiol.*, 11, 218.
- Dagley, S. and Dawes, E.A. (1953), 'Citric acid metabolism of Aerobacter aerogenes', *J. Bacteriol.*, 66, 259.
- Davidsohn, A. and Milwidsky, B.M. (1978), 'Synthetic detergents', 6th. edn., George Godwin Ltd., London.
- Davis, E.M. and Gloyna, E.F. (1967), 'Biodegradability of non-ionic and anionic surfactants by blue-green and green algae', *J. Water Poll. Cont. Fed.*, 41, 1494.

de Klerk, H. and van der Linden, A.C. (1974),
'Bacterial degradation of cyclohexane. Participation
of a co-oxidation reaction', Ant. van Leeuw., 40, 7.

Degens, P.N. (1954), 'Review of experience with froth
formation in sewage treatment plants', Sew. Ind.
Wastes, 26, 1494.

Degens, I.P.N. Jr., van der Zee, H., Kommer, J.D. and
Kamphuis, A.H. (1952), 'Production of methane from
sewage sludge', Sew. Ind. Wastes, 24, 1548.

Degremont, E. (1973), 'Water treatment handbook',
France.

Department of environment. (1974), Environment Act,
Ministry of Science, Technology and Environment.

Devey, D.G. and Harkness, N (1972), 'The significance
of man made sources of phosphorous: Detergents and
sewage', Water Res., 3, 749.

Downing, A.L. and Boon, A.G. (1963), 'Oxygen transfer
in the activated sludge process', in Advances in
biological waste treatment, Eds., Eckenfelder, W.W.
and McCabe, J., Rheinholdt, New York.

Downing, A.L., Bayley, R.W. and Boon, A.G. (1960),
'The performance of mechanical aerators', J. Inst.
Sew. Purif., 231.

Eckenfelder, W.W. Jr. (1963), 'Advances in biological
waste treatment', Eds., Eckenfelder, W.W. Jr. and
McCabe, J., Pergamon Press, New York.

Eckenfelder, W.W. Jr. (1966), 'Industrial water pollution control', McGraw Hill, New York.

Eckenfelder, W.W. Jr. (1967), 'Theory of biological treatment of trade wastes', J. Water Poll. Cont. Fed., 39, 240.

Eckenfelder, W.W. Jr. (1971), 'Activated sludge and extended aeration. Process design', in Water quality engineering-New concepts and developments, Vanderbilt Univ., Nashville, Tenn.

Eckenfelder, W.W. Jr. and Barnhart, E.L. (1961), 'The effect of organic substances on the transfer of oxygen from air bubbles in water', Am. Ind. Chem. Eng. J., 7, 7631.

Eckenfelder, W.W. Jr., Goronszy, M.C. and Quirk, T.P. (1985), 'The activated sludge process. State of the art', CRC. Crit. Rev. Environ. Cont., 15, 111.

Eckhoff, D.W. and Jenkins, D. (1966), 'Transient loading effects in the activated sludge process', in Advances in Water Pollution Research, 2, Proc. 3rd. Int. Conf., Munich.

Eden, G.E. and Truesdale, G.A. (1961), 'The destruction of alkylbenzene sulphonates in sewage treatment processes', Wat. Sew. Works, 108, 275.

Eisenhauer, H.R. (1965), 'Chemical removal of ABS from wastewater effluents', J. Water Poll. Cont. Fed., 37, 1567.

- Erickson, L.E., Chen, G.K.C. and Fan, L.T. (1968), 'Modeling and optimization of biological waste treatment', Chem. Eng. Prog. Symp. Ser., 64, 97.
- Erickson, L.E. and Fan, L.T. (1968), 'Optimization of the hydraulic regime of activated sludge systems', J. Water Poll. Cont. Fed., 40, 345.
- ERL. (1978), 'Cleaning and conditioning agents. Their impact on the environment in the EEC', Environmental Resources Ltd., Graham and Trotman Pub.
- Esser, K. and Kues, U. (1983), 'Flocculation and its implication for biotechnology', Proc. Biochem., 18, 22.
- Evans, W.C. (1977), 'Biochemistry of the bacterial catabolism of aromatic compounds in anaerobic environments', Nature, 270, 17.
- Fall, R.R., Brown, J.L. and Schaeffer, T.L. (1979), 'Enzyme recruitment allows the biodegradation of recalcitrant branched hydrocarbons by Pseudomonas citronellolis', Appl. Environ. Microbiol., 38, 715.
- Fencl, Z., Ricica, J. and Kodesova, I. (1972), 'The use of multi-stage chemostat for microbial product formation', J. appl. Chem. Biotechnol., 22, 405.
- Ferguson, J.F., Jenkins, D. and Stumm, W. (1970), 'Calcium phosphate precipitation in wastewater treatment', AIChE Symp. Ser., 67.

- Ferguson, J.F. and King, T. (1977), 'A model for aluminium phosphate precipitation', J. Water Poll. Cont. Fed., 49, 646.
- Flynn, J.M. and Andres, B. (1963), 'Laundrette waste treatment processes', J. Water Poll. Cont. Fed., 35, 783.
- Focht, D.D. and Williams, F.D. (1970), 'The degradation of p-toluenesulfonate by a Pseudomonas', Can. J. Microbiol., 16, 309.
- Forster, C.F. (1977), 'Bio-oxidation' in Treatment of Industrial Effluents, Eds., Calleley, A.G., Forster, C.F. and Stafford, D.A., Hodder and Stoughton.
- Fujimoto, E., Sekine, T., Iwahori, K and Furuya, N. (1983), 'Studies on dissolved oxygen concentration and sludge retention time affecting the full scale activated sludge process', Water Res., 17, 1829.
- Furukawa, K., Tonomura, K. and Kamibayashi, A. (1978), 'Effect of chlorine substitution in the biodegradability of polychlorinated biphenyls', Appl. Environ. Microbiol., 35, 223.
- Garret, M.T. and Sawyer, C.N. (1952), 'Kinetics of removal of soluble BOD by activated sludge', Eng. Bull., Proc. 7th. Ind. Waste Conf., Purdue Univ., Lafayette, Ind.
- Gaudy, A.F. Jr., Gaudy, E.T. and Komolrit, K. (1963), 'Multi-component substrate utilization by natural populations and a pure culture of Escherichia coli', Appl. Microbiol., 11, 157.

- Gaudy, A.F. Jr. and Turner, B.G. (1964), 'Effect of air-flow rate on response of activated sludge to quantative shock loading', J. Water Poll. Cont. Fed., 36, 767.
- Gibson, D.T. (1968), 'Microbial degradation of aromatic compounds', Science, 161, 1093.
- Gibson, D.T. (1977), 'Biodegradation of aromatic petroleum hydrocarbons', in Fate and Effects of Petroleum Hydrocarbons in Marine Ecosystems and Organisms, Ed. Wolfe, D., Pergamon Press, New York.
- Gibson, D.T. (1982), 'Microbial metabolism', in The Handbook of Environmental Chemistry, 2, Part A, Ed., Hutzinger, O., Springer-Verlag, Heidelberg, New York.
- Gledhill, W.E. (1975), 'Linear alkylbenzene sulphonate : Biodegradation and aquatic interactions', Adv. appl. Microbiol., 17, 265.
- Goodman, B.L. and Englande, A.J. (1972), 'A consolidated approach to activated sludge design', Proc. Biol. Waste Treat. Conf., Atlanta.
- Goodman, B.L. and Englande, A.J. (1974), 'A unified model of the activated sludge process', J. Water Poll. Cont. Fed., 46, 312.
- Gottschalk, G. (1979), 'Bacterial Metabolism', Springer-Verlag. Heidelberg, New York.

- Gowdy, W.R. (1953), 'Action of detergents in sewage treatment. A study by industry', Sew. Ind. Wastes, 25, 255.
- Grady, C.P.L. and Roper, R.E. (1974), 'A model for the bio-oxidation process which incorporates the viability concept', Water Res., 8, 471.
- Gram, A.L. (1956), 'Reaction kinetics of aerobic biological processes', San. Eng. Res. Lab., Univ. of California, Berkeley, California.
- Greenburg, A.E., Klein, G. and Kaufman, W.J. (1955), 'Effect of phosphorous on the activated sludge process', Sew. Ind. Wastes, 27, 277.
- Grieves, R.B. (1972), 'Adsorptive Bubble Separation Techniques', Ed., Lemlich, R., Academic Press, New York.
- Grieves, R.B. and Bewley, J.L. (1973), 'Treating laundry wastes by foam separation', J. Water Poll. Cont. Fed., 45, 470.
- Grieves, R.B. and Schwartz, S.M. (1966), 'Batch and continuous flotation of hexavalent chromium', J. Appl. Chem.(London), 16, 14.
- Griffith, R.M. (1962), 'Effect of surfactants on the terminal velocity of drops and bubbles', Chem. Eng. sci., 17, 1057.
- Grutsch, J.F. and Mallat, R.C. (1976), 'Part 1. Activated sludge process. Optimize the effluent system', Hydrocarbon Process., 55, 105.

- Gurol, M.D. and Singer, P.C. (1983), 'Dynamics of the ozonation of phenol-mathematical simulation', *Water Res.*, 17, 1173.
- Gutnick, D., Calvo, D.M., Klopotoski, T. and Ames, B.N. (1969), 'Compounds which serve as the sole source of carbon or nitrogen for Salmonella typhimurium LT-2', *J. Bacteriol.*, 100, 215.
- Haller, H.D and Finn, R.K. (1979), 'Biodegradation of 3-chlorobenzoate and formation of black colour in the presence and absence of benzoate', *European J. Appl. Microbiol. Biotechnol.*, 8, 191.
- Hamirin, K. (1985), 'Application of palm oil/ palm oil products in soap', in *The 3rd. Chemistry of Fatty acids and Lipids Course*, PORIM, Bangi, Selangor, Mar. 24th - 30th. 1985.
- Hammerton, C. (1955), 'Observations on the decay of synthetic anionic detergents in natural wastes', *J. Appl. Chem. (London)*, 5, 517.
- Hansen, R.S. and Derderian, E.J. (1975), 'Problems in foam origin, drainage and rupture', in *Foams, Proc. Symp. Soc. Chem. Ind., Coll. and Surf. Chem. Gp., Brunel Univ., Ed. Akers, A.J.*
- Harder, W. and Dijkhuizen, L. (1983), 'Physiological responses to nutrient limitation', *Ann. Rev. Microbiol.* 37, 1.
- Hardy, K. (1983), 'Bacterial Plasmids', in *Aspects of Microbiology 4*, Nelson, Hong Kong.

- Harris, N.P. and Hansford, G.S. (1976), 'A study of substrate removal in a microbial film reactor', *Water Res.*, 10, 936.
- Hartley, B.S. (1974), 'Enzyme families', in *Evolution in the Microbial World*, Symp. Soc. Gen Microbiol., 24, 151.
- Hartley, B.S., Altosaar, I., Dothie, J.M. and Neuberger, M.S. (1976), 'Experimental evolution of a xylitol dehydrogenase', in *Structure Function Relationships of Proteins*, Eds., Markham, R. and Horne, R.W., Amsterdam, North Holland.
- Hashim, M.A., Hassan, R.S. and Kulandai, J. (1985), 'Malaysian studies of a recalcitrant detergent wastewater', *Effluent & Water Treat. J.*, 25, Nov. issue.
- Hassan, R.S., Hashim, M.A. and Kulandai, J. (1985). 'Treatability studies of a recalcitrant detergent wastewater', In press.
- Hegeman, G.D. and Rosenberg, S.L. (1970), 'The evolution of bacterial enzyme systems', *Ann. Rev. Microbiol.*, 24, 429.
- Henderson, C., Pickering, Q.H. and Cohen, J.M. (1959), 'The toxicity of synthetic detergents and soaps to fish', *Sew. Ind. Wastes*, 31, 295.
- Herbert, D. (1959), 'Some principles of continuous culture', in *Recent Progress in Microbiology*, Stockholm, Sweden, C.C. Thomas Pub., Springfield.

- Harris, N.P. and Hansford, G.S. (1976), 'A study of substrate removal in a microbial film reactor', *Water Res.*, 10, 936.
- Hartley, B.S. (1974), 'Enzyme families', in *Evolution in the Microbial World*, Symp. Soc. Gen Microbiol., 24, 151.
- Hartley, B.S., Altosaar, I., Dothie, J.M. and Neuberger, M.S. (1976), 'Experimental evolution of a xylitol dehydrogenase', in *Structure Function Relationships of Proteins*, Eds., Markham, R. and Horne, R.W., Amsterdam, North Holland.
- Hashim, M.A., Hassan, R.S. and Kulandai, J. (1985), 'Malaysian studies of a recalcitrant detergent wastewater', *Effluent & Water Treat. J.*, 25, Nov. issue.
- Hassan, R.S., Hashim, M.A. and Kulandai, J. (1985). 'Treatability studies of a recalcitrant detergent wastewater', In press.
- Hegeman, G.D. and Rosenberg, S.L. (1970), 'The evolution of bacterial enzyme systems', *Ann. Rev. Microbiol.*, 24, 429.
- Henderson, C., Pickering, Q.H. and Cohen, J.M. (1959), 'The toxicity of synthetic detergents and soaps to fish', *Sew. Ind. Wastes*, 31, 295.
- Herbert, D. (1959), 'Some principles of continuous culture', in *Recent Progress in Microbiology*, Stockholm, Sweden, C.C. Thomas Pub., Springfield.

- Herbert, D., Elsworth, R. and Telling, R.C. (1956), 'The continuous culture of bacteria; a theoretical and experimental study', J. gen. Microbiol., 14, 601.
- Higgins, I.J. and Burns, R.G. (1975), 'The Chemistry and Microbiology of Pollution', Academic Press, London.
- Higgins, I.J., Best, D.J. and Hammond, R.C. (1980), 'New findings in methane utilizing bacteria highlight their importance in the biosphere and their commercial potential', Nature(London), 286, 561.
- Holroyd, A. and Parker, H.B. (1952), 'Investigations on the dynamics of aeration', J. Inst. Sew. Purif., 280.
- Horowitz, N.H. (1965), 'The evolution of biochemical synthesis-retrospect and prospect', in Evolving Genes and Proteins, Eds., Bryson, V. and Vogel, H.J., Academic Press, New York.
- Horvath, R.S. (1972), 'Microbial co-metabolism and the degradation of organic compounds in nature', Bacteriol. Rev., 36, 146.
- Horvath, R.S. and Alexander, M. (1970), 'Co-metabolism of m-chlorobenzoate by an Arthrobacter', Appl. Microbiol. 20, 254.
- Horvath, R.S. and Koft, B.W. (1972), 'Degradation of alkylbenzene sulphonate by Pseudomonas species', Appl. Microbiol., 23, 407.

- Huang, J.Y.C., Cheng, M.D. and Mueller, J.T. (1985), 'Oxygen uptake rates for determining microbial activity and application', *Water Res.*, 19, 373.
- Huddleston, R.L. and Allred, R.C. (1963), 'Microbial oxidation of sulfonated alkyl benzenes', *Dev. Ind. Microbiol.*, 4, 24.
- Huddleston, R.L. and Nielsen, A.M. (1979), 'LAS biodegradation. The fate of the aromatic ring', *Soap/Cosmetics/Chemical Specialities*, March, 34.
- Humenick, M.J. and Ball, J.E. (1974), 'Kinetics of activated sludge oxygenation', *J. Water Poll. Cont. Fed.*, 46, 735.
- Hurwitz, E., Beck, A.J., Sakellarion, E. and Krup, M. (1961), 'Degradation of cellulose by activated sludge treatment', *J. Water Poll. Cont. Fed.*, 33, 1070.
- Huttzinger, O. and Veerkamp, W. (1981), 'Xenobiotic chemicals with pollution potential', in *Microbial Degradation of Xenobiotics and Recalcitrant Compounds*, Eds., Leisinger, T., Hutter, R., Cook, A.M. and Nuesch, J., Academic Press, London.
- Huyser, H.W. (1960), 'Relation between the structure of detergents and their biodegradation', Cologne, *Vortragein Originalfassung des III, Internationalen Kongresses fur Grenzflächenaktive Stoffe*, 4 Vols., Universitätsdruckerei, Mainz, 1961.
- Jacobson, S.M., O'Mara, N.L. and Alexander, M. (1980), 'Evidence for cometabolism in sewage', *Appl. Environ. Microbiol.*, 40, 917.

- Jamison, V.W., Raymond, R.L. and Hudson, J.O. (1969), 'Microbial hydrocarbon co-oxidation, III. Isolation and characterization of an α , α' -dimethyl-cis, cis-muconic acid producind strain of Nocardia corallina', Appl. Microbiol., 17, 853.
- Janicke, W. (1973), Bundesgesundheitsblatt, 17, 24, as cited in Cleaning and Conditioning Agents. Their Impact on the Environment in the EEC. Environmental Resources Ltd., Graham and Trotman Pub.
- Jenkins, D. (1966), 'Application of foam fractionation to wastewater treatment', J. Water Poll. Cont. Fed., 38, 1737.
- Jenkins, S.H., Harkness, N., Lennon, A. and James, K. (1967), 'The biological oxidation of synthetic detergents in recirculating filters', Water Res., 1, 31.
- Jenkins, S.H., Warren, J.K., M̄Gauhey, P.H., Horne, A.J. and Gasser, J. (1972), 'Environmental impact of detergent builders in California waters', Water Res., 7, 265.
- Jensen, H.L. (1963), 'Carbon nutrition of some microorganisms decomposing halogen substituted aliphatic acids', Acta Agr. Scand., 13, 404.
- Johnston, J.B., Murray, K. and Cain, R.B. (1975), 'A reassessment of colorimetric methods fot the quantitative measurement of sulphite and their use in measuring microbial desulphonation', Ant. van Leeuw., 41, 493.

- Jones, G.L. (1975), ' A consolidated approach to activated sludge process design: a microbiological view', *Prog. Water Technol.*, 7, 199.
- Jones, D. and Sneath, P.H.A. (1970), ' Genetic transfer and bacterial taxonomy', *Bacteriol. Rev.*, 34, 40.
- Kacholv, T. and Rehm, H.J. (1977), 'Degradation of long chain alkanes by bacilli. I. Development and product formation by bacilli degrading alkanes in the presence of other sources', *European J. Appl. Microbiol. Biotechnol.*, 4, 101.
- Kawase, Y. and Ulbrecht, J.J. (1982), 'The effect of surfactant on terminal velocity of and mass transfers from a fluid sphere in non-Newtonian fluid', *Can. J. Chem. Eng.*, 60, 87.
- Keefer, C.E. (1962), 'Temperature and efficiency of the activated sludge process', *J. Water Poll. Cont. Fed.*, 34, 1186.
- Keefer, C.E. and Meisel, J. (1951), 'Activated sludge studies. III. Effect of pH of sewage on the activated sludge process', *Sew. Ind. Wastes*, 23, 982.
- Keyes, T.W. and Asano, T. (1975), ' Application of kinetic models to the control of activated sludge processes', *J. Water Poll. Cont. Fed.*, 47, 2574.
- Khanpara, C.B. (1982), ' Detergents, synthetic', *Encyclopaedia of Chemical Processing and Design*, 15, Eds., McKetta, J.J. and Cunningham, W.A., Marcel Dekker Inc., New York.

- Kim, K. (1963), 'Isolation and properties of a putrescine-degrading mutant of Escherichia coli', J. Bacteriol., 86, 320.
- Kim, Y.B. and Rehm, H.J. (1982), 'Studies on a mixed culture of Candida parapsilosis and different bacilli. I. Characterization of the mixed culture systems', European J. Appl. Microbiol. Biotechnol., 14, 106.
- King, E.F. (1981), 'Biodegradability testing', Water Res. Centre, Notes on Water Res., No. 28, August.
- Klecka, G.M. and Gibson, D.T. (1980), 'Metabolism of dibenzo-p-dioxin and chlorinated dibenzo-p-dioxin by a Beijerinckia species', Appl. Environ. Microbiol., 39, 288.
- Klein, S.A. and McGauhey, P.H. (1963), 'Detergent removal by surface stripping', J. Water Poll. Cont. Fed., 35, 100.
- Knackmuss, H.J. (1981), 'Degradation of halogenated and sulfonated hydrocarbons', in Microbial Degradation of Xenobiotics and Recalcitrant Compounds, Eds., Leisinger, T., Hutter, R., Cook, A.M. and Nuesch, J., Academic Press.
- Koide, K., Hayashi, T., Sumino, K. and Iwamoto, S. (1976), 'Mass transfer from single bubbles in aqueous solutions of surfactants', Chem. Eng. Sci., 31, 963.
- Kumke, G.W. and Renn, C.E. (1966), 'LAS removal across an institutional trickling filter', J. Amer. Oil Chem. Soc., 43, 92.

- Lara, F.J.S. and Stokes, J.L (1952), 'Oxidation of citrate by Escherichia coli', J. Bacteriol., 63, 415.
- Lawrence, A.W. (1975), 'Modeling and simulation of slurry biological reactors', in Mathematical Modeling for Water Pollution Control Processes, Eds., Keinath, T.M. and Wanielista, M.P., Ann Arbor Science, Ann Arbor, Michigan.
- Lawrence, A.W. and McCarty, P.L. (1970), 'Unified basis for biological treatment design and operation', J. San. Eng. Div., Proc. Am. Soc. Civ. Eng., 96, 757.
- Lederberg, J. (1951), 'Genetics in the Twentieth Century', Ed., Dunn, L.C., Macmillan, New York.
- Lemlich, R. (1972), 'Adsorptive Bubble Separation Techniques', Academic Press, New York.
- Lessard, R.R. and Zieminski, S.A. (1971), 'Bubble coalescence and gas transfer in aqueous electrolytic solutions', Ind. Eng. Chem. Fund., 10, 260.
- Lester, G. and Bonner, D.M. (1956), 'Genetic control of raffinose utilization in Escherichia coli', J. Bacteriol., 73, 544.
- Lin, E.C.C., Hacking, A.J. and Aguilar, J. (1976), 'Experimental models of acquisitive evolution', Bio Science, 26, 548.
- Lippmann, M. and Schlesinger, R.B. (1979), 'Chemical Contamination in the Human Environment', Oxford Univ. Press, New York.

- Little, A.D. (1977), 'Human safety and environmental aspects of major surfactants', in Report to the Soap and Detergent Assoc. 1977.
- Longman, G.F. (1975), 'The analysis of detergents and detergent products', John Wiley, London.
- Ludzack, F.J. and Ettinger, M.B. (1960), 'Chemical structures resistant to aerobic biochemical stabilization', J. Water Poll. Cont. Fed., 32, 1173.
- Lynen, F. (1955), 'Lipid metabolism', Ann. Rev. Biochem., 24, 653.
- MacFaddin, J.F. (1976), 'Biochemical Tests for Identification of Medical Bacteria', Williams and Wilkins, Baltimore.
- Mancy, K.H. and Okun, D.A. (1960), 'Effects of surface active agents on bubble aeration', J. Water. Poll. Cont. Fed., 32, 351.
- Mancy, K.H. and Okun, D.A. (1965), 'The effects of surface active agents on aeration', J. Water Poll. Cont. Fed., 37, 212.
- Manganelli, R. (1952), 'Detergents and sewage treatment', Sew. Ind. Wastes, 24, 1057.
- Manganelli, R. and Crosby, E.S. (1953), 'Effects of detergents on sewage microorganisms' 25, 262.

- Mara, D.D. (1976), 'Sewage Treatment in Hot Climates', John Wiley, London.
- Marion, C.V. (1966), 'Oxidation of sodium lauryl sulfate, alkyl benzene sulphonates and chemically related compounds', Ph.D thesis, Ohio State Univ., Columbus.
- Martin, B. (1954), 'Cause and control of frothing-A review', Sew. Ind. Wastes, 26, 1413.
- Martin, R.O. and Stumpf, P.K. (1959), 'Fat metabolism in higher plants. XII. α -oxidation of long chain fatty acids', J. Biol. Chem., 234, 2548.
- Matson, J.V., Characklis, W.G. and Busch, A.W. (1972), 'Oxygen supply limitations in full scale biological treatment systems', 27th. Ind. Waste Conf. Purdue Univ., Lafayette, Ind.
- Mayo, J.W. and Anderson, R.L. (1969), 'Basis for the mutational acquisition of the abilities of Aerobacter aerogenes to grow on L-mannose', J. Bacteriol., 100, 948.
- McCarty, P.L. and Broaderson, C.F. (1962), 'Theory of extended aeration activated sludge', J. Water Poll. Cont. Fed., 34, 1095.
- McGauhey, P.H. and Klein, S.A. (1959), 'Removal of ABS by sewage treatment', J. Water Poll. Cont. Fed., 31, 877.
- McKenna, E.J. and Kallio, R.E. (1965), 'The biology of hydrocarbons', Ann. Rev. Microbiol. 19, 183.

- McKeown, J.J. and Okun, D.A. (1963), 'Effect of surface active agents on oxygen bubble characteristics', in *Advances in Biological Waste Treatment*, Eds., Eckenfelder, W.W. Jr. and McCabe, J., Pergamon Press, Oxford.
- McKinney, R.E. (1957), 'Syndets and waste disposal', *Sew. Ind. Wastes*, 29, 654.
- McKinney, R.E. (1962), 'Mathematics of completely mixing activated sludge', *J. San. Eng. Div., Proc. Amer. Soc. Civil. Eng.*, 88, 87.
- McKinney, R.E. (1974), 'Design and operational model for completely mixing activated sludge system', *Biotechnol. Bioeng.*, 16, 703.
- McKinney, R.E. and Ooten, R.J. (1969), 'Concepts of complete mixing activated sludge', *Trans. 19th. Eng. Conf., Univ. of Kansas*.
- McKinney, R.E. and Symons, J.M. (1959), 'Bacterial degradation of ABS. I. Fundamental biochemistry', *Sew. Ind. Wastes*, 31, 549.
- Meijboom, F.W. and Vogtlander, J.G. (1974), 'The influence of surface active agents on the mass transfer from gas bubbles in a liquid-I', *Chem. Eng. Sci.*, 29, 857.
- Metclaf and Eddy, Inc. (1972), 'Wastewater Engineering', McGraw-Hill, New York.

Meynell, P.J. (1976), 'Methane- planning a digester', Prism Press, Dorset.

Middlebrooks, E.J. and Garland, C.F. (1968), 'Kinetics of model and field extended aeration wastewater treatment units', J. Water Poll. Cont. Fed., 40, 586.

Mohanrao, G.J. and McKinney, R.E. (1964), 'Activated sludge metabolism of certain quaternary carbon compounds', J. Water Poll. Cont. Fed., 36, 303.

Moore, E. (1967), 'Detergents', in A UNILEVER Education Booklet, Ed., McCreath, E., Unilever Ltd., England.

Monod, J. (1949), 'The growth of bacterial cultures', Ann. Rev. Microbiol., 3.

Mortlock, R.P. (1976), 'Catabolism of unnatural carbohydrates by microorganisms', Adv. Microb. Phys., 13, 1.

Mortlock, R.P. and Wood, W.A. (1964), 'Metabolism of pentoses and pentitols by Aerobacter aerogenes. I. Demonstration of pentose isomerase, pentulokinase, pentitol dehydrogenase enzyme families', J. Bacteriol., 88, 838.

Moser, H. (1958), 'The dynamics of bacterial populations maintained in the chemostat', No. 614, Carnegie Inst. Washington, Washington D.C.

Mowat, A. (1976), 'Measurement of metal toxicity by biochemical oxygen demand', J. Water Poll. Cont. Fed., 48, 853.

- Mueller, J.A., Mulligan, T.J. and Di Toro, D.M. (1973), 'Gas transfer kinetics of pure oxygen systems', J. Env. Eng. San. Div., Proc. Am. Soc. Civ. Eng., 99, 269.
- Mynhier, M.D. and Grady, C.P.L. (1975), 'Design graphs for activated sludge process', J. Env. Eng. Div., Proc. Am. Soc. Civ. Eng., 101, 829.
- Nash, F.G. and Beall, L.M. Jr. (1980), 'Distribution of Silvex, 2,4-D and TCDD applied to turf in chambers and field plots', J. Agri. Food Chem., 28, 614.
- Neff, J.M. (1979), 'Polycyclic aromatic hydrocarbons in the aquatic environment', Applied Science Pub., London.
- Nemerow, N.L. (1978), 'Industrial Water Pollution; Origins, Characteristics and Treatment', Addison-Wesley Pub., Mass.
- Nielsen, A.M. and Huddleston, R.L. (1983), 'Ultimate biodegradation of linear alkylbenzene sulphonate alkyl and ring carbon', Dev. Ind. Microbiol., 25, 415.
- O'Connor, D.J. (1960), 'Effect of surface active agents on re-aeration', Proc. 3rd. Biol. Waste Treat. Conf., Manhattan College.
- Olsson, G. and Andrews, J.F. (1978), 'The dissolved oxygen profile - A valuable tool for the control of the activated sludge process', Water Res., 12, 985.

- Omori, T. and Alexander, M. (1978), 'Bacterial dehalogenation of halogenated alkanes and fatty acids', Appl. Environ. Microbiol., 35, 867.
- Ooyama, J. and Foster, J.W. (1965), 'Bacterial oxidation of cycloparaffinic hydrocarbons', Ant. van Leeuw., 31, 45.
- Ornston, L.N. (1966), 'The conversion of catechol and protocatechuate to β -ketoadipate by Pseudomonas putida', J. Biol. Chem., 241, 3800.
- Ornston, L.N. (1971), 'Regulation of catabolic pathways in Pseudomonas', Bacteriol. Rev., 35, 87.
- Overath, P., Pauli, G. and Schairer, H.U. (1969), 'Fatty acid degradation in Escherichia coli', European J. Biochem., 7, 559.
- Owens, M. and Wood, G. (1968), 'Some aspects of the eutrophication of water', Water Res., 2, 151.
- Painter, H.A. (1974), 'Biodegradability Proc. Roy. Soc. London', 185, 149.
- Palit, T. and Qasim, S.R. (1977), 'Biological treatment kinetics of landfill leachates', J. Env. Eng Div., Proc. Am. Soc. Civ. Eng., 103, No. EE 2.
- Paris, D.F., Steen, W.C. and Burns, L.A. (1982), 'The Handbook of Environmental Chemistry', 2, Part B, Ed., Hutzinger, O., Springer-Verlag, Heidelberg, New York.

Patterson, S.J., Scott, C.C. and Tucker, K.B.E. (1967), 'Detergent and polyglycol foaming in river water', J. Inst. Wat. Poll. Cont., 3, 3.

Pattison, E.S. (1967), 'Detergent developments to protect water quality in the USA', in Chemistry, Physics and Application of Surface Active Substances, 3, Int. Cong. Surf. Act. Subs., 4th. Brussels.

Pearson, E.A. (1966), 'Kinetics of biological treatment', in Advances in Water Quality Improvement, Eds., Gloyna, E.F. and Eckenfelder, W.W. Jr., Univ. Texas, Austin, TX.

Perry, J.J. (1979), 'Microbial co-oxidations involving hydrocarbons', Microbiol. Rev., 43, 59.

Pipes, W.O. (1966), 'The ecological approach to the study of activated sludge', Adv. Appl. Microbiol., 8, 77.

Pipes, W.O. and Jones, P.H. (1963), 'Decomposition of organic wastes by Sphaerotilus', Biotechnol. Bioeng., 5, 287.

Pirnik, M.P. (1977), 'Microbial oxidation of methyl branched alkanes', Crit. Rev. Microbiol., 5, 413.

Pirt, S.J. (1975), 'Principles of Microbe and Cell Cultivation', Blackwell, Oxford.

Pitter, P. (1974), 'Alkylsulfates resistant to biological degradation and persistence of n-alkylbenzene sulfonates under anaerobic conditions', in Chemistry,

Physics and Application of Surface Active Substances, 3, Int. Cong. Surf. Act. Subs., 4th. Brussels.

Powell, R.W. and Lessard, R.R. (1976), 'Bench scale activated sludge studies on refinery wastewaters', in Water II, Biological Wastewater Treatment, AIChE. Symp. Ser. 1976.

Ravin, A.W. (1952), 'Heritable and non-heritable loss of ability by Aerobacter aerogenes to grow adaptively on single carbon sources', J. Gen. Microbiol., 6, 211.

Raymond, R.L. and Jamison, V.W. (1971), 'Biochemical activities of Nocardia', Adv. Appl. Microbiol., 14, 93.

Raymond, D.R. and Zieminski, S.A. (1971), 'Mass transfer and drag coefficients of bubbles rising in dilute aqueous solutions', Am. Ind. Chem. Eng. J., 17, 57.

Rebhun, M., Galil, N. and Narkis, N. (1985), 'Kinetic studies of chemical and biological treatment for renovation', J. Water Poll. Cont. Fed., 57, 324.

Reineke, N. and Knackmuss, H.J. (1978), 'Chemical structure and biodegradability of halogenated aromatic compounds- substituent effects on 1,2- di-oxygenation of benzoic acid', Biochem. Biophys. Acta, 542, 412.

Richmond, M.H. (1968), 'Enzyme adaptation in bacteria. Its biochemical and genetic basis', Essays in Biochem., 4, 105.

- Ripin, M.J., Noon, K.F. and Cook, T.M. (1971), 'Bacterial metabolism of arylsulfonates.I. Benzene sulfonate as growth substrate for Pseudomonas testosteroni H-8', Appl. Microbiol., 21, 495.
- Roper, R.E. and Grady, C.P.L. (1974), 'Activated sludge hydraulic control techniques evaluation by computer simulation', J. Water Poll. Cont. Fed., 46, 2565.
- Rosen, M.J. (1972), 'The relationship of structure to properties in surfactants', J. Am. Oil Chem. Soc., 49, 293.
- Rubin, E. (1963), 'Sewage plant effluent contaminant removal by foaming', Ind. Eng. Chem., 55, 44.
- Rudolfs, W., Manganelli, R. and Gellman, I. (1949), 'Effect of certain detergents on sewage treatment', Sew. Ind. Wastes, 21, 605.
- Ryckman, D.W. and Sawyer, C.N. (1957), 'Chemical structure and biological oxidizability of surfactants', Purdue Conf., 12, 270.
- Samples, W.R. (1974), 'Removal of anionic detergents from aqueous solution using cationic compounds', in Chemistry, Physics and Application of Surface Active Substances, Int. Cong. Surf. Act. Subs., 4th. Brussels.
- Sanwal, B.D. (1970), 'Allosteric controls of amphibolic pathways in bacteria', Bacteriol. Rev., 34, 20.

Schaeffer, T.L., Cantwell, S.G., Brown, J.L., Watt, D.S. and Fall, R.R. (1979), 'Microbial growth on hydrocarbons: terminal branching inhibits biodegradation', *Appl. Environ. Microbiol.* 38, 742.

Sherrard, J.H. (1977), 'Kinetics and stoichiometry of completely mixed activated sludge', *J. Water Poll. Cont. Fed.*, 49, 1963.

Sherrard, J.H. and Lawrence, A.W. (1973), 'Design and operation model of activated sludge', *J. Env. Eng. Div., Proc. Am. Soc. Civ. Eng.*, 99, 773.

Sherrard, J.H. and Lawrence, A.W. (1975), 'Response of activated sludge to step increase in loading', *J. Water Poll. Cont. Fed.*, 47, 1848.

Sherrard, J.H. and Schroeder, E.D. (1973), 'Cell yield and growth rate in activated sludge', *J. Water Poll. Cont. Fed.*, 45, 1889.

Simko, J.P. Jr., Emery, E.M. and Blank, E.W. (1965), 'Degradation of linear alkylate sulfonate in sewage', *J. Am. Oil Chem. Soc.*, 42, 627.

Skerman, V.B.D. (1967), 'A Guide to the Identification of the Genera of Bacteria', Williams and Wilkins, Baltimore.

Slack, J.G. (1959), 'The determination of anionic detergents in river water and sewage effluents', *Analyst*, 84, 193.

- Slapik, M.A., Thackston, E.L. and Wilson, D.J. (1982), 'Improvements in foam flotation for lead removal', J. Water poll. Cont. Fed., 54, 238.
- Slater, J.H. and Somerville, H.J. (1979), 'Microbial aspects of waste treatment with particular attention to the degradation of organic compounds', in Microbial Technology: Current State, Future Prospects, Eds., Bull, A.T., Ellwood, D.C. and Ratledge, C., Cambridge Univ. Press, London.
- Slater, J.H., Weightman, A.J., Senior, E and Bull, A.T. (1976), 'The dehalogenase from Pseudomonas putida', Proc. Roy. Soc. Gen. Microbiol., 4, 39.
- Sperry, W.A. (1951), 'Detergents and their influence on sewage treatment', J. Water Poll. Cont. Fed., 23, 1469.
- Stadtman, E.R. (1966), 'Allosteric regulation of enzyme activity', Adv. Enzymol., 28, 41.
- Stamberg, J.B., Bishop, D.F. and Hais, A.B. (1973), 'Activated sludge treatment systems with oxygen', EPA 670/2-73-073, US. EPA, Washington D.C.
- Stanbury, P.F. and Whitaker, A. (1984), 'Principles of Fermentation Technology', Pergamon Press, Oxford.
- Stensel, H.D. and Shell, G.L. (1974), 'Two methods of biological treatment design', J. Water Poll. Cont. Fed., 46, 271.

- Stenstrom, M.K. and Gilbert, R.G. (1981), 'Effects of alpha, beta and theta factor upon the design, specification and operation of aeration systems', Water Res., 14, 643.
- Stewart, M.J. (1958), 'Reaction kinetics and operational parameters of continuous flow anaerobic fermentation processes, San. Eng. Res. Lab., Univ. Calif. Berkeley., California.
- Stirling, D.I. and Dalton, H. (1979), 'Oxidation of dimethyl ether, methyl formate and bromomethane by Methylcoccus capsulatus (Bath)', FEMS Microbiol. Letters, 5, 315.
- Stirling, D.I. and Dalton, H. (1980), 'The fortuiuous oxidation and co-metabolism of various carbon compounds by whole cell suspensions of Methylococcus capsulatus (Bath)', J. gen. Microbiol., 116, 277.
- Stones, T. (1976), 'A discourse in the biochemical oxidation of sewage', Effluent Water Treat. J., 16, 352.
- Straus, A.E. (1963), 'Biodegradation of ABS in a simulated septic tank and drain field', Science, 142, 244.
- Stryer, L. (1975), 'Biochemistry', Freeman, W.H., San Francisco.
- Stukenberg, J.R., Wahbeh, V.N. and McKinney, R.E. (1977), 'Experiences in evaluating and specifying aeration equipment', J. Water Poll. Cont. Fed., 49, 66.

Stumm-Zollinger, E. (1966), 'Effect of inhibition and repression on the utilization of substrates by heterogenous bacterial communities', Appl. Microbiol., 14, 654.

Suffet, I.H. and McGuire, M.J. (1980), 'Activated carbon adsorption of organics from the aqueous phase' 1, Ann Arbor Science Pub., Ann Arbor, Michigan.

Sundstrom, D.W. and Klei, H.E. (1979), 'Wastewater Treatment', Englewood Cliffs, Prentice-Hall, N.J.

Surber, E.W. and Thatcher, T.D. (1963), 'Laboratory studies of the effects of ABS on aquatic invertebrates', Trans. Am. Fisheries Soc., 92, 152.

Swisher, R.D. (1963), 'Biodegradation of ABS in relation to chemical structure', J. Water Poll. Cont. Fed., 35, 877.

Swisher, R.D. (1970), 'Surfactant Biodegradation', Marcel Dekker Inc., New York.

Swisher, R.D. (1972), 'LAS benzene rings:Biodegradation and acclimation studies', Yukagaku, 21, 130.

Taylor, B.F., Campbell, W.L. and Chinoy, I. (1970), 'Anaerobic degradation of the benzene nucleus by a facultative anaerobic microorganism', J. Bacteriol., 102, 430.

Tebutt, T.H.Y. (1977), 'Principles of Water Quality Control', 2nd. Edn., Pergamon Press, Oxford, England.

Thackston, E.L., Wilson, D.J., Hanson, J.S. and Miller, D.L. Jr. (1980), 'Lead removal with adsorbing colloid flotation', J. Water Poll. cont. Fed., 52, 317.

Therien, N. and Perdrieux, S. (1981), 'Dynamics of activated sludge in terms of organic carbon', J. Water Poll. Cont. Fed., 53, 576.

Thysse, G.J.E. and Wanders, T.E. (1974), 'Initial steps in the degradation of n-alkane-1-sulphonates by Pseudomonas', Ant. van Leeuw., 40, 25.

Toerber, E.D., Paulson, W.L. and Smith, H.S. (1974), 'Comparison of completely mixed and plug flow biological systems', J. Water Poll. Cont. Fed., 46, 1995.

Truesdale, G.W. and Eden, G.E. (1974), 'Detergents and sewage treatment: Introduction of biologically degradable materials in Great Britain', in Chemistry, Physics and Application of Surface Active Substances, 3, Int. Cong. Surf. Act. Subs., 4th., Brussels.

Tyteca, D., Smeers, Y. and Nyns, E.J. (1977), 'Mathematical modeling and economic optimization of wastewater treatment plants', CRC, Crit. Rev. Environ. Cont., 8, 1.

van der Linden, A.C. and Thijsse, G.J.E. (1965), 'The mechanisms of microbial oxidations of petroleum hydrocarbons', Adv. Enzymol., 27, 469.

- Vandevenne, L. and Eckenfelder, W.W. Jr. (1980), 'A comparison of models for completely mixed activated sludge treatment design and operation', *Water Res.*, 13, 561.
- Vashon, R.D., Jones, W.J. and Payne, A.G. (1982), 'The effect of water hardness on nitrilotriacetate removal and microbial acclimation to activated sludge', *Water Res.*, 15,
- Vaughn, J.C., Falkenthal, R.F. and Schmidt, R.W. (1956), 'Effect of synthetic detergents on water treatment', *J. Am. Wat. Wks. Assn.*, 48, 30.
- Viesturs, U.E., Kristapsons, M.Z. and Levitans, E.S. (1980), 'Microbes and Engineering Aspects', *Adv. Biochem. Eng.*, 21, 109.
- Weaver, P.J. (1969), 'Phosphates in surface water and detergents', *J. Water Poll. Cont. Fed.*, 41, 1647.
- Weber, W.J. Jr. (1972), 'Physicochemical Processes for Water Quality Control', Wiley Interscience, New York.
- Willets, A.J. (1973a), 'Microbial aspects of the biodegradation of synthetic detergents: a review', *Int. Biodeterior. Bull.*, 9, 3.
- Willets, A.J. (1973b), 'How detergents are degraded biologically', *Environ. Change*, 110.
- Willets, A.J. (1974), 'Microbial metabolism of alkylbenzene sulphonates. The oxidation of key aromatic compounds by a Bacillus', *Ant. van Leeuw.*, 40, 547.

Willems, A.J. and Cain, R.B. (1972), 'Microbial metabolism of alkylbenzene sulphonates. Bacterial metabolism of undecylbenzene-p-sulphonate and dodecylbenzene-p-sulphonate', *Biochem. J.*, 129, 389.

Williams, P.A. (1978), 'The biology of plasmids' in *Companion to Microbiology*, Eds., Bull, A.T. and Meadow, P.M., Longman.

Winkler, M.A. (1981), 'Biological Treatment of Wastewater', Ellis Horwood Ltd., England.

Wolfe, R.S. (1971), 'Microbial formation of methane', *Adv. Microbial. Physiol.*, 6, 107.

WPRL. (1968), 'Water Pollution Research', HMSO, London,

Wu, T.T. (1976), 'Growth of a mutant of Escherichia coli K-12 on xylitol by recruiting enzymes for D-xylose and L-1,2-propanediol metabolism', *Biochem. Biophys. Acta*, 428, 656.

Wu, Y.C. and Kao, C.F. (1976), 'Activated sludge treatment of yeast industry wastewater', *J. Water Poll. Cont. Fed.*, 48, 2609.

Wu, T.T., Kin, E.C.C. and Tanaka, S. (1968), 'Mutants of Aerobacter aerogenes capable of utilizing xylitol as a novel carbon source', *J. Bacteriol.*, 96, 447.

Wurtz-Arlet, J. (1964), 'Disappearance of detergents in algal cultures', in Chemistry, Physics and Application of Surface Active Substances, 3, Int. Cong. Surf. Act. Subs., 4th. Brussels.

Zieminski, S.A., Caron, M.M. and Blackmore, R.B. (1967), 'Behaviour of air bubbles in dilute aqueous solutions', Ind. Eng. Chem. Fundam., 6, 233.

Zieminski, S.A. and Whittemore, R.C. (1971), 'Behaviour of gas bubbles in aqueous electrolytes solutions', Chem. Eng. Sci., 26, 509.